

Zinc Master

Liquid Complexed Micronutrients



GUARANTEED ANALYSIS

Sulfur (S) 3.5%
Zinc (Zn) 6.0%

Derived from: zinc sulfate complexed with lignosulfonate.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

Zinc Master is recommended for field, row vegetable, fruit, tree, vine, ornamental, and turf crops. **Zinc Master**, alone or with pesticides or fertilizers, may be applied directly to soil or to the foliage of growing crops. **Zinc Master** may be applied via ground sprayers (high volume or low-volume), aircraft or drip irrigation systems.



WARNING

KEEP OUT OF REACH OF CHILDREN

Causes serious eye irritation. Harmful if swallowed.

PRECAUTIONARY STATEMENTS

When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels.

FIRST AID

IF IN EYES: Immediately wash the eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower lids. Obtain immediate medical treatment.

IF ON SKIN: Immediately wash the contaminated area. Seek medical attention if skin irritation persists.

IF SWALLOWED: Immediately call a Poison Control Center or doctor.

STORAGE AND DISPOSAL

Keep product in original container. Do not store at temperatures below 32° F. Dispose of waste or empty container in accordance with applicable Federal, State, and local laws and regulations.

NOTICE – READ ENTIRE LABEL BEFORE USE, IF TERMS ARE UNACCEPTABLE RETURN AT ONCE – UNOPENED.

CYC Solutions Co. LLC warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of CYC Solutions Co. LLC. In no case shall CYC Solutions Co. LLC be liable for consequential, special or indirect damages resulting from the use or handling of this product. The buyer shall assume all such risks.

CYC Solutions Co. LLC makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

CYC
Solutions Co.

3085 N. Cessna Ave.
Casa Grande, AZ 85122

CYC-005 2.5 GAL

PACKAGE SIZE: 2.5 GAL (9.46L) 25.7 LB (11.65kg)

DENSITY: 10.28 LB per GAL @ 68 degrees F

Yuma Printing (10/20)

Zinc Master

Liquid Complexed Micronutrients

GENERAL DIRECTIONS

CONSULT YOUR LOCAL REPRESENTATIVE OR
AGRICULTURAL SPECIALIST FOR SPECIFIC CROP RECOMMENDATIONS.

Soil application of **Zinc Master** is recommended with nitrogen fertilizer solutions. Thorough coverage and wetting are needed for optimum foliar spray results. Actively growing plants with young leaves absorb foliarly-applied **Zinc Master** most efficiently. Immediate post-irrigation or post-rainfall applications give best foliar uptake. Addition of urea (for example, 5 lbs. Lo-Biuret Urea per 100 gals. of spray solution) will enhance foliar uptake of **Zinc Master**.

AVOID foliar applications of **Zinc Master** when plants are under moisture stress.

AVOID application to deciduous tree crops during bloom.

FOLIAR APPLICATIONS: For rates (above) higher than 2 qts. per acre, split applications of 2 qts. or less each are preferable. Applications should be separated by a minimum of 10-14 days.

DILUTE APPLICATIONS: Apply the suggested dose of Zinc Master in enough water for good coverage.

CONCENTRATE APPLICATIONS: Use up to ½ gallon of Zinc Master in a minimum of 25 gals. of water per acre.

AERIAL APPLICATIONS: Up to 1 qt. of Zinc Master per 5 gals. of spray may be used, but more dilute solutions will improve coverage and results.

DRIP IRRIGATION APPLICATIONS: Apply the recommended amount of product in split application 1-2 weeks apart throughout the growing season.

Soil Fertility Maintenance 1-3 qts./acre

Mild Deficiency 2-6 qts./acre

Severe Deficiency 1-3 gals./acre

The lower rates are for field, row, and vegetable crops. The higher rates are for fruit, tree, vine, ornamental.

MIXING AND HANDLING INSTRUCTIONS: Shake, stir, or swirl contents before using. Put 1/3 to 2/3 of total required water volume in tank. Add recommended amount of this product before adding pesticides, adjuvants, or other fertilizers. Agitate until thoroughly mixed, then fill tank with remainder of water.

COMPATIBILITY: **Zinc Master** is compatible with most pesticides and fertilizers. However, a compatibility test is recommended if the desired combination has not been used in the past.

MIXING: ALWAYS add **Zinc Master** to spray tank BEFORE adding pesticides.

PACKAGE SIZE: 2.5 GAL (9.46L) 25.7 LB (11.65kg)

DENSITY: 10.28 LB per GAL @ 68 degrees F
