

GENERAL USE INFORMATION - READ ENTIRE LADEE DEI

GENERAL INFORMATION

FERTI-ZINC 10% is recommended for field, row vegetable, fruit, tree, vine, ornamental, and turf crops. FERTI-ZINC 10%, alone or with pesticides or fertilizers, may be applied directly to soil or to the foliage of growing crops. FERTI-ZINC 10% may be applied via ground sprayers (high volume or low-volume), aircraft or drip irrigation systems.

GENERAL DIRECTIONS FOR USE CONSULT YOUR LOCAL FERTIZONA REPRESENTATIVE OR OTHER AGRICULTURAL SPECIALIST FOR SPECIFIC CROP RECOMMENDATIONS.

Soil application of FERTI-ZINC 10% is recommended with nitrogen fertilizer solutions. Thorough coverage and wetting are needed for optimum foliar spray results. Actively growing plants with young leaves absorb foliarlyapplied FERTI-ZINC 10% most efficiently. Immediate post-irrigation or post-rainfall applications give best foliar uptake. Addition of urea (for example, 5 lbs. Lo-Biuret Urea per 100 gals. of spray solution) will enhance foliar uptake of FERTI-ZINC 10%.

AVOID foliar applications of FERTI-ZINC 10% when plants are under moisture stress.

AVOID application to deciduous tree crops during bloom.

COMPATIBILITY: FERTI-ZINC 10% is compatible with most pesticides and fertilizers. However, a compatibility test is recommended if the desired combination has not been used in the past.

MIXING: ALWAYS add FERTI-ZINC 10% to spray tank BEFORE adding pesticides.

SHAKE, STIR OR SWIRL CONTENTS BEFORE USING

SPECIFIC DIRECTIONS FOR USE

SOIL APPLICATIONS: ALL CROPS:* Soil Fertility Maintenance: 1-2 qts. per acre. Light Deficiency: 2-4 qts. per acre. Severe Deficiency: 1-3 gals. per acre.

*The lower rates are for field, row, and vegetable crops. The higher rates are for fruit, tree, vine, ornamental, and turf crops.

FOLIAR APPLICATIONS: For rates (above) higher than 2 qts. per acre, split applications of 2 qts. or less each are preferable. Applications should be separated by a minimum of 10-14 days.

DILUTE APPLICATIONS: Apply the suggested dose of FERTI-ZINC 10% in enough water for good coverage.

CONCENTRATE APPLICATIONS: Use up to $\frac{1}{2}$ gallon of FERTI-ZINC 10% in a minimum of 25 gals. of water per acre. AERIAL APPLICATIONS: Up to 1 qt. of FERTI-ZINC 10% per 5 gals. of spray may be used, but more dilute solutions will improve coverage and results.

DRIP IRRIGATION APPLICATIONS: Apply the recommended amount of product in split application 1-2 weeks apart throughout the growing season.

NET WEIGHT: 11 LBS. PER GAL. AT 68° F. NET CONTENTS: 5 gals. (18.925 L), 55.0 lbs. (24.948 Kg)

Distributed By: FERTILIZER COMPANY OF ARIZONA, INC.

2850 S. Peart Road • Casa Grande, Arizona 85193-9024 • (520) 836-7477

GUARANTEED ANALYSIS

Zinc (Zn) 10.0% Sulfur (S) 4.0% Derived from: zinc sulfate and zinc lignin sulfonate.

SDS available upon request.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

WARNING KEEP OUT OF REACH OF CHILDREN

Hazardous to humans and animals. Causes eye and skin irritations.

PRECAUTIONARY STATEMENTS

When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels.

FIRST AID

IF IN EYES: Immediately wash the eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower lids. Obtain immediate medical treatment.

IF ON SKIN: Immediately wash the contaminated area. Seek medical attention if skin irritation persists.

IF SWALLOWED: If the person is conscious, immediately give large volumes of water. Do not induce vomiting. Seek immediate medical attention.

STORAGE AND DISPOSAL

Keep product in original container. Do not store at temperatures below 32° F. Dispose of waste or empty container in accordance with applicable Federal, State, and local laws and regulations.

NOTICE

READ ENTIRE LABEL BEFORE USE, IF TERMS ARE UNACCEPTABLE RETURN AT ONCE – UNOPENED.

Fertilizer Company of Arizona, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Fertilizer Company of Arizona, Inc. In no case shall Fertilizer Company of Arizona, Inc. be liable for consequential, special or indirect damages resulting from the use or handling of this product. The buyer shall assume all such risks. Fertilizer Company of Arizona, Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.