

BLACKOUT LIQUID

NON-PLANT FOOD INGREDIENT
1.0% humic acid derived from Menefee Humate®

DIRECTIONS FOR USE

SOIL APPLICATIONS:

In-furrow: apply 1-2 gal/acre of BLACKOUT.

Drip-irrigation: apply 1-2 gal/acre of BLACKOUT.

Apply banded, in-furrow, side-dressed, or through flood, furrow or drip irrigation. (See instructions on this label: PREPARING TANK MIX SOLUTIONS.)

FOLIAR APPLICATIONS: Apply 0.5-1 gal/acre of BLACKOUT per application with fertilizer using sufficient water for uniform coverage of the crop. (See instructions on this label: PREPARING TANK MIX SOLUTIONS.)

PREPARING TANK MIX SOLUTIONS

Thoroughly clean all spray mixing and application equipment prior to and following each use. Unless directed by the mixing instructions on the product label being used with BLACKOUT follow these procedures:

1. Add the desired amount of water if required to the tank and begin agitation. Slowly add BLACKOUT to the tank while continuing to agitate.
2. Add liquid fertilizer. **Do not tank mix with herbicides.** Do not mix BLACKOUT directly with undiluted tank mix partners until you have "jar tested" in a separate container the proportionate amount of BLACKOUT to make sure the products are compatible prior to tank mixing. Agitate and let stand 10 minutes.
3. Continue filling while agitating until all added products are thoroughly mixed into spray solution.

Liquid humic acid soil conditioner that may increase the uptake of micronutrients



BLACKOUT can be used as a standalone application or as part of a standard fertility program.

BLACKOUT can be applied to most field and row crops, vegetable and cucurbit crops, nut trees, grapes, olives, and citrus. BLACKOUT is specifically designed for soil applications and foliar use.



WARNING

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed. May cause irritation of eyes, nose, throat, or skin. Avoid contact with eyes, skin or clothing. In case of contact with eyes, flush with plenty of water. Consult a physician if irritation persists.

NOTICE: May cause staining on handler's apparel and porous surfaces.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with direction under normal conditions of use. Neither this warranty nor any other warranty of merchantability or fitness for a particular use, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

DENSITY: 8.46 LB/GAL @ 68° F

NET CONTENTS: 265 GAL (1003L), 2241 LB (1016kg)

CYC
Solutions Co.

Guaranteed and Manufactured by:
CYC Solutions Co.
3085 N Cessna Way
Casa Grande, AZ 85122
(520) 316-3738